Author Index Volume 14 (1985)

Abetz V, see Stadler R, et al. 317
Angeli SR, see Hanrahan BD, et al. 399
Angne U, see Rivas BL, et al. 239
Amin MB, see Maadhah AG, et al. 433
Aoshima S, Ebara K, Higashimura T: Living Cationic Polymerization of Vinyl Ethers with a Functional Group. 4. Synthesis of Poly(Vinyl Ether) Macromers with a Methacrylate Head 425
Aoshima S, Hasegawa O, Higashimura T: Living Cationic Polymerization of Vinyl Ethers with a Functional Group. 3. Polymerization of Vinyl Ethers with Acrylate or Sorbate Pendant 417
Aoshima S, see Nakamura T, et al. 515
Azori M, see Csákvári E, et al. 99

Bačskai R: Investigations on the Role of Acryl Initiators and CO_2 in Nylon 4 Polymerization 527
Barbaszewski T, see Starzyk F 361
Barron PF, O'Donnell JH, Whittaker AK: Determination of H-Crosslinks in γ-Irradiated Polybutadiene by ^{13}C-NMR 339
Beddows CG, Gil MH, Guthrie JT: The Immobilisation of Bovine Serum Albumin, Acid Phosphatase, Glucose Oxidase and Phenyl Propylamine to Maleic Anhydride Block Copolymers 199
Berti C, Marianucci E, Pilati F: Sulfur Containing Polymers 1. Copolymers of 1,3-Benzeneditiol with Phosgene and Bisphenol-A 85
Bîcu E, see Simionescu CI, et al. 79
Blumenthal M, see Gordon B III 69
Bouchal K, see Ilavský M, et al. 295
Bouchal K, see Ilavský M, et al. 301
Boutevin B, Piétrasanta Y, Taha M, Sarraf T: Influence of Graft Copolymers P (E-g-MMA) on the Mechanical Properties of PE-PVC Alloys 25
Braud C, see Guerin P, et al. 187
Braun D, Sonderhof D: Assignment of UV-Absorption Maxima of Degraded PVC 39
Brekner M-J, Cantow H-J, Schneider HA: Theoretical Approach to the Temperature Dependence of Local Flow in Polymer Systems 9
Brekner M-J, Cantow H-J, Schneider HA: Interactions in Compatible Polymer Systems 1. Viscoelasticity and Glass Transition of Polystyrene-Poly(Vinylmethylether) Blends 17
Brekner M-J, see Schneider HA 173
Brekner M-J, see Schneider HA, et al. 479
Březina M, see Doskočilová D, et al. 123

Cantow H-J, see Brekner M-J, et al. 9
Cantow H-J, see Brekner M-J, et al. 17
Cantow H-J, see Freund B 73
Cantow H-J, see Gräfer H, et al. 379
Cantow H-J, see Klotz S, et al. 143
Cantow H-J, see Northfleet Neto H, et al. 439
Cantow H-J, see Schneider HA, et al. 479
Cheng HN: ^{13}C-NMR Determination of Inverted Propylene Units in Polypropylene 347
Cheradame H, see Labidi A, et al. 271
Cocâriă I, see Grovu-Ivănoiu M, et al. 117
Conlon DA, see Crivello JV, et al. 279
Corcârlá I, see Grovu-Ivănoiu, et al. 117
Coseglia N, see Havlíček, et al. 455
Cotzur C, see Ungurenasu C 411
Crepy G, see LeMehaute A, et al. 233
Crivello JV, Conlon DA, Lee JL: The Synthesis and Characterization of Cationic Photoinitiators Bearing Two and Three Photoactive Triarylsulfonium Groups in the Same Molecule 279
Csákvári E, Azori M, Tüdös F: Physico-Chemical Studies of Polymeric Carriers. 5. Salt Effect on Conformational Transition 99

Davidson P, see Decobert G, et al. 549
Decobert G, Soyer F, Dubois JC: Chiral Liquid Crystalline Side Chain Polymers 179
Decobert G, Soyer F, Dubois JC, Davidson P: Thermotropic Liquid Crystalline Polymers Smectic "C" Phase in a Liquid Side-Chain Poly α Chloroacrylate 549
De Micheli RE, Vidal HM, Macchi EM: Macroscopic and Crystallographic Density of Solid-State Extruded Polyethylene 61
Diaz Calleja R, see Gómez Ŕibelles JL 45
Dobáš I, see Doskočilová D, et al. 123
Dobáš I, see Matějká L, et al. 309
Dondos A, see Staikos F, et al. 407
Doskočilova D, Matějka L, Pokorný S, Březina M, Štokr J, Dobáš I, Dušek K: Curing of Epoxy Resins: Configurational Structure and Reactivity of Stereoisomers in the Model Reaction of Diglycidylaniline with N-Methylaniline 123
Doyle TB, Vogl O: Haloaldehyde Polymers. 28.

Synthesis and Polymerization of Fluorochlorobromoacetaldehyde 535
Dunsing R, Kricheldorf HR: Polylactones. 5. Polymerization of L,L-Lactide by means of magnesium Salts 491
Dubois JC, see Decobert G, et al. 179
Dubois JC, see Decobert G, et al. 549
Dušek K, see Doskocilová D, et al. 123
Dušek K, see Ilavský M, et al. 295
Dušek K, see Matějka L, et al. 309

Ebara K, see Aoshima S, et al. 425
Entelis SG, see Evreinov VV, et al. 131
Eshima K, see Hasegawa E, et al. 31
Evreinov VV, Gorshkov AV, Prudskova TN, Gur'yanova VV, Pavlov AV, Malkin AY, Entelis SG: Application of the Critical Phenomena Concept in Liquid Chromatography for Functionally Type Separation of Macromolecules 131

Farona MF, see Gadkari A 503
Fatkullin NF, see Grinberg FA, et al. 355
Faust R, see Nagy A, et al. 251
Finkelmann H, see Hessel F 375
Fontaine F, see Ledent J, et al. 461
Freund B, Cantow H-J: Synthesis and Anionic Polymerization of 2-Isopropenylquinoline 73
Froelich D, see Pixa R, et al. 53
Fukutomi T, see Saito R, et al. 541

Gadkari A, Farona F: Synthesis of a New EPM-Polystyrene Graft Terpolymer 503
Gandini A, see Labidi A, et al. 271
Gargallo L, Hamidi N, Katime I, Radić D: Polymer Cosolvent System. 6. Effect of the Ortho Substitution on Poly(Phenyl Methacrylate)s in Tetrahydrofuran Water Mixtures 393
Georgiev G, Spyroudis S, Varvoglis A: Diacetoxyiodobenzene and bis(Trifluoroacetoxy) Iodobenzene as Photoinitiators for Cationic Polymerisations 523
Gil MH, see Beddows CG, et al. 199
Goett C, see Pixa R, et al. 53
Gómez Ribelles JL, Diaz Calleja R: Influence of Physical Ageing on the α Dielectric Relaxation of Poly(Methyl Acrylate) 45
Gordon B III, Blumenthal M: Delocalized Carbanions: Synthesis and Polymerization of 2,3-Disubstituted-1,3-Butadienes 69
Gorshkov AV, see Evreinov VV, et al. 131
Gräter H, Schuster RH, Cantow H-J: Thermodynamics of Polymer Systems. 5. Sorption and Mixing Properties of Selected Solutes and Solubility Parameters of Atactic Poly(Styrene) by Gas Chromatography 379
Grigoras M, see Simionescu CI, et al. 79

Grinberg FA, Scrida VD, Fatkullin NF, Maklakov AI, Rogovina LZ, Storogyk IP: Diffusion Spin Echo Decay by Pulsed Magnetic Field Gradient NMR and some Structure Features in Block-copolymer Solutions 355
Gross T, see Wäsche M, et al. 147
Grosso P, Vogl O: Functional Polymers. 44. Polymeric Polyolefin Antioxidants 245
Grovu-Ivănoiu M, Simionescu CI, Cocârlă I: Reactivity of some Acetylenic Derivatives in Electroinitiated Polymerization 117
Guenet JM: A New Look at the Molecular Structure of Isotactic Polystyrene Physical Gels as Revealed by Neutron Diffraction 105
Guerin P, Vert M, Braud C, Lenz RW: Optically Active Poly (β-Malic Acid) 187
Gur'yanova VV, see Evreinov VV, et al. 131
Guthrie JT, see Beddows CG, et al. 199
Guyot A, see Le Mehaute A, et al. 233

Hamaide T, see LeMehaute A, et al. 233
Hamidi N, see Gargallo L, et al. 393
Hanley B, Tirrell M, Lodge T: The Behavior of the Tracer Diffusion Coefficient of Polystyrene in Isorefractive "Solvents" Composed of Poly-(Vinyl Methyl Ether) and *o*-Fluorotoluene 137
Hanrahan BD, Angeli SR, Runt J: Miscibility and Melting in Poly(Butylene Terephthalate)/Poly-(Bisphenol A-Carbonate) Blends 399
Hasegawa O, see Aoshima S, et al. 417
Hasegawa E, Eshima K, Matsushita Y, Nishide H, Tsuchida E: Synthesis of Polymerizable Glycerophosphocholines and their Polymerized Vesicles 31
Havlíček I, Coseglia N, Migliaresi C: Approach to the Glass Transition Temperature of Random Copolymers Using the Gibbs-DiMarzio Theory 455
Hessel F, Finkelmann H: A New Class of Liquid Crystal Side Chain Polymers. Mesogenic Groups Laterally Attached to the Polymer Backbone 375
Higashimura T, see Aoshima S, et al. 417
Higashimura T, see Aoshima S, et al. 425
Higashimura T, see Nakamura T, et al. 515
Hiller W, see Singer A 469
Hortling B, see Laakso J, et al. 225
Hradil J, Švec F: Reactive Polymers. 54. Synthesis of Methacrylate Copolymers with Tributylammonium Groups 265
Hrouz J, see Ilavský M, et al. 301
Huang H-H, Orler B, Wilkes GL: Ceramers: Hybrid Materials Incorporating Polymeric/Oligomeric Species with Inorganic Glasses by a Sol-Gel Process. 2. Effect of Acid Content on the Final Properties 557

Ilavský M, Bouchal K, Dušek K: The Structure and Elasticity of Polyurethane Networks. 4. The Effect of Additional Crosslinking on the Extraction and Elastic Behaviour of Model Polyoxypropylene-Urethane Networks Prepared in the Excess of Isocyanates 295
Ilavský M, Hrouz J, Bouchal K: Phase Transition in Swollen Gels. 9. Effect of the Concentration of Quaternary Salt on the Collapse and Mechanical Behaviour of Poly- (Acryl Amide) Networks 301
Ishizu K, see Saito R, et al. 541
Izushi T, see Nishide H, et al. 387

Jacobi MM, see Stadler R, et al. 317
Janeschitz-Kriegl H, see Krobath G, et al. 1
Jerome R, see Ledent J, et al. 461
Jiang G-J, Shirota Y, Mikawa H, Matsumoto A, Oiwa M: Radical Copolymerization of Ethylene Glycol Bis(Methyl Fumarate) with N-Vinylcarbazole 447

Kanari M, see Kurita K, et al. 511
Katime I, see Gargallo L, et al. 398
Kennedy JP, see Nagy A, et al. 251
Klotz S, Cantow H-J, Kögler G: Interaction in Polymer Blends via Dilute Solution Light-Scattering under Optical θ-Conditions 143
Kobayashi M, see Tashiro K 213
Kögler G, see Klotz s, et al. 143
Kokufuta E, Saito K: Synthesis in Divinylbenzene-Crosslinked Terpolymer Consisting of Hemin, Styrene, and 1-Venyl-2-Methylimidazole as Cyanide Ion Exchanger 93
Kothandaraman H, see Nagarathinam R, et al. 287
Koyama Y, see Kurita K, et al. 511
Kricheldorf HR, see Dunsing R 487
Kricheldorf HR, Serra A: Polylactones. 6. Influence of various Metal Salts on the Optical Purity of Poly(L-Lactide) 497
Krobath G, Liedauer S, Janeschitz-Kriegl H: Crystallization Fronts in Quenched Polymer Samples 1
Kurita K, Kanari M, Koyama Y: Studies on Chitin. 11. Graft Copolymerization of γ-Methyl L-Glutamate NCA onto Water-Soluble Chitin 511

Laakso J, Hortling B, Levon K, Lindberg JJ: The Electrical Conductivity Properties and Structures of Substituted Poly (Phenylene Sulphides), Synthesized from Phenols and Sulphur 225
Labidi A, Salon M-C, Gandini A, Cheradame H: The Polymerisation of 2-Furyl Vinyl Ketone 271
Lampe I von, see Wäsche M, et al. 147
Ledent J, Fontaine F, Reynaers H, Jerome R: Small-Angle X-Ray Scattering Study of Halato-Telechelic Polybutadienes 461
Lee JL, see Crivello JV, et al. 279
LeMehaute A, Crepy G, Marcellin G, Hamaide T, Guyot A: Polymer Electrolytes. The Route Towards Solid Polymer Electrolytes with Stable Electrochemical Performances Upon Long Term Storage 233
Lenz RW, see Guerin P, et al. 187
Levon K, see Laakso J, et al. 225
Liedauer S, see Krobath G, et al. 1
Lindberg JJ, see Laakso J, et al. 225
Lodge T, see Hanley B, et al. 137
López-Carrasquero F, see Rabagliati FM 331

Maadhah AG, Amin MB, Usmani AM: Suspension Graft Polymerization by Chain Transfer 433
Maassen U, see Northfleet Neto H, et al. 439
Macchi EM, see DeMicheli RE, et al. 61
Maklakov AI, see Grinberg FA, et al. 355
Maklakov AI, see Sundukov VI, et al. 153
Marcellin G, se LeMehaute A, et al. 233
Marianucci E, see Berti C, et al. 85
Malkin AY, see Evreinov VV, et al. 131
Mark JE, Sur GS: Reinforcing Effects from Silica-Type Fillers Containing Hydrocarbon Groups 325
Maruthamuthu M, Subramanian E: Binding of Evans Blue Onto Poly (N-Vinyl-2-Pyrrolidone) 207
Matějka L, see Doskočilová D, et al. 123
Matějka L, Dušek K, Dobáš I: Curing of Epoxy Resins with Amines. Gelation of Polyepoxides Derived from Diglycidylaniline 309
Matsumoto A, see Jiang G-J, et al. 447
Matsushita Y, see Hasegawa E, et al. 31
Maturana HA, see Rivas BL, et al. 239
Migliaresi C, see Havlíček I, et al. 455
Mikawa H, see Jiang G-J, et al. 447
Milas M, Rinaudo M, Tinland B: The Viscosity Dependence on Concentration, Molecular Weight and Shear Rate of Xanthan Solutions 157

Nagarathinam R, Rajeswari N, Viswanathan S, Kothandaraman H: Synthesis and Characterization of Polyestermaleamides 287
Nagy A, Faust R, Kennedy JP: New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator Transfer Agents (Inifers). 48. Continuous Synthesis of Linear Telechelic Polyisobutylenes 251
Nagy A: New Telechelic Polymers and Sequential

Copolymers of Polyfunctional Initiator Transfer Agents (Inifers). 49. Extended Compositional Homogeneity Studies of Mono- and Multifunctional Polyisobutylenes Using the Kennedy-Smith Plot 259
Nakamura T, Aoshima S, Higashimura T: Living Cationic Polymerization of Vinyl Ethers with a Functional Group. 5. Vinyl Ethers with Oxyethylene Units in the Pendant 515
Nishide H, Izushi T, Yoshioka N, Tsuchida E: Complexation of Europium Ion with Poly(Methacrylic Acid)s and Fluorescent Property of the Complexes 387
Nishide H, see Hasegawa E, et al. 31
Northfleet Neto H, Maassen U, Cantow H-J, Schneider HA: Copolymerization of Methyl- and Buthylmethacrylate with Electron-Donor N-(2-Hydroxyethyl)Carbazolyl Methacrylate and Electron-Acceptor (β-Hydroxyethyl)-3,5-Dinitrobenzoyl Methacrylate 439

O'Donnell JH, see Barron IF, et al. 339
Oiwa M, see Jiang G-J, et al. 447
Ohno H, Takeoka S, Tsuchida S: Skeletonized Hybrid Liposomes 487
Onofrei G, see Simionescu CI, et al. 79
Orler B, see Huang H-H, et al. 557

Pavlov AV, see Evrelnov VV, et al. 131
Percec V, see Pugh C 109
Percec V, see Rodriguez-Parada JM 165
Percec V, see Shaffer TD 367
Perich IM, see Rivas BL, et al. 239
Piatti F, see Berti C, et al. 85
Piétrasanta Y, see Boutevin B, et al. 25
Pilati F, see Berti C, et al. 85
Pixa R, Goett C, Froelich D: Influence of Deformation on the Physical Ageing of Polycarbonate. 1. Mechanical Properties Near Ambient Temperature 53
Pokorný S, see Doskočilová D, et al. 123
Prudskova TN, see Evreinov VV, et al. 131
Pugh C, Percec V: Synthesis and Group Transfer Polymerization and Copolymerization of *p*-Vinylbenzyl Methacrylate 109

Rabagliati FM, López-Carrasquero F: Epoxide Polymerization. 8. Spectroscopic Studies of Poly(Propylene Oxide) Prepared with Diphenylzinc-Water as Initiating System 331
Radić D, see Gargallo L, et al. 398
Rajeswari N, see Nagarathinam R, et al. 287
Reynaers H, see Ledent J, et al. 461
Rinaudo M, see Milas M, et al. 157
Rivas BL, Maturana HA, Perich IM, Angne U: Polyethyleneimine Supports for Resins with Retention Properties for Heavy Metals. Part I 239
Rodriguez-Parada JM, Percec V: Interchain EDA Complexes of Poly[N-(2-Hydroxyethyl) Carbazolyl Methacrylate] with Poly (ω-Hydroxyalkyl-3,5-Dinitrobenzoyl Methacrylate)s 165
Rogovina LZ, see Grinberg FA, et al. 355
Runt J, see Hanrahan BD, et al. 399

Saito R, Ishizu K, Fukutomi T: Synthesis of Poly(N,N-Dimethylaminopropylacryl Amide-g-Acrylic Acid) and Crosslinking of its Trunk Sequence 541
Saito K, see Kokufuta E 93
Salon M-C, see Labidi A, et al. 271
Sarraf T, see Boutevin B, et al. 25
Schneider HA, see Brekner M-J, et al. 9
Schneider HA, see Brekner M-J, et al. 17
Schneider HA, Brekner M-J: Thermodynamic Aspects of the Glass-Transition in the Compatible Blend Poly(Styrene)-Poly(Vinylmethylether) 173
Schneider HA, Brekner M-J, Cantow H-J: Some Remarks Concerning the WLF – Relation 479
Schneider HA, see Northfleet Neto H, et al. 439
Schuster RH, see Gräfer H, et al. 379
Scirda VD, see Grinberg FA, et al. 355
Scirda VD, see Sundukov VI, et al. 153
Serra A, see Kricheldorf HR 497
Shaffer TD, Percec V: Thermotropic Polyketones: A New Class of Main-Chain Liquid Crystalline Polymers 367
Shirota Y, see Jiang G-J, et al. 447
Simionescu CI, see Grovu-Ivănoiu M, et al. 117
Simionescu CI, Grigoras M, Bîcu E, Onofrei G: Spontaneous Copolymerization of 2-Methyl-2-Oxazoline and N-Phenyl Maleimide 79
Singer A, Hiller W: Pulsed NMR Measurements on Polyethylene Melts 469
Sonderhof D, see Braun D 39
Soyer F, see Decobert G, et al. 179
Soyer F, see Decobert G, et al. 549
Spyroudis S, see Georgiev G, et al. 523
Stadler R, Abetz V, Jacobi MM: Strain-Rate Dependent Stress-Strain Properties of Solution Crosslinked Poly(Isobutylene)-Networks 317
Staikos G, Dondos A: Determination of the Molecular Weight of Polymers Using Scaling Phenomena in Critical Systems 407
Starzyk F, Barbaszewski T: SIMS Investigations of Ion Beam Induced PVK Fragmentation 361
Stokr J, see Doskočilová D, et al. 123
Storogyk IP, see Grinberg FA, et al. 355
Subramanian E, see Maruthamutu M 207
Sugihara M, see Wada T, et al. 219
Sundukov VI, Skirda VD, Maklakov AI:

Generalized Concentration Dependence of Macromolecule Selfdiffusion Coefficients in Polyethyleneoxide Solutions 153
Sur GS, see Mark JE 325
Svec F, see Hradil J 265

Taha M, see Boutevin B, et al. 25
Takeoka S, see Ohno H, et al. 487
Tashiro K, Kobayashi M: Calculation of Crystallite Modulus of Native Cellulose 213
Tinland B, see Milas M, et al. 157
Tirrell M, see Hanley B, et al. 137
Tsuchida E, see Hasegawa E, et al. 31
Tsuchida E, see Nishide H, et al. 387
Tsuchida E, see Ohno H, et al. 487
Tüdös F, see Csákvári E, et al. 99

Ungurenasu C, Cotzur C: Carbonylation of Chloromethylated Polystyrene Resins with $NaCo(CO)_4$ in Phase-Transfer Catalysis 411
Urugami T, see Wada T, et al. 219
Usmani AM, see Maadhah AG, et al. 433

Varvoglis A, see Georgiev G, et al. 523
Vert M, see Guerin P, et al. 187
Vidal HM, see DeMicheli RE, et al. 61
Viswanathan S, see Nagarathinam R, et al. 287
Vogl O, see Doyle TR 535
Vogl O, see Grosso P 245

Wada T, Uragami T, Sugihara M: Studies on Syntheses and Permeabilities of Special Polymer Membranes. 58. Facilitation of Active Transport of Sodium Ion Through Cation Exchange Membranes 219
Wäsche M, Gross T, Lampe von I: Radiation Chemical Reactions of Poly-*p*-Chlorphenylmethacrylate by ESCA 147
Wilkes GL, see Huang H-H, et al. 557
Whittaker AK, see Barron PF, et al. 339

Yoshioka N, see Nishide H, et al. 387

Subject Index Volume 14 (1985)

Acetylenic derivatives 117
2-Acetylquinoline 74
Acid phosphatase 199
Acril amide 307
Acrylic esters 433
Acrylic esters, nonaqueous suspension polymerization 433
Activation energy 9
Active transport 219
Acyl initiators 527
Adam-Gibbs theory 455
Adsorption, preferential 393
Adsorption, selective 393
Ageing 45
Albumin 207
Alkyd-resin condensation Szesky
Alkyl halides 503
Allophanates 295
4-Aminobutyric acid 527
Analysis 105, 131, 137, 143, 147, 331, 461
Anionic polymerization 73
Anion exchange resins 265
Antioxidants 245
Arrhenius law 9, 479
Atactic poly(styrene) 379
Azocumene 433

Batteries 233
Behavior 9
2,3-Benzeneditiol 85
Benzenesulfonate 219
Benzyl malolactonate 187
Bisphenol-A 85
Bis(trifluoroacetoxy)iodobenzene 523
Block copolymers 199
Blockcopolymer solutions 355
Blood volume determination 207
Bovine serum albumin 199
Butyl methacrylates 439
Butyl rubber 317
i-Butyl vinyl ether 523

Carbanions, delocalized 69
Carboxy-telechelic polymers 461
Carriers 99
Cation exchange membranes 219
Cationic photoinitiators 279
Cationic polymerization 279, 515, 523
Cationic polimerization, living 417
Cellulose 213
Cellulose, chain deformation 213
Ceramers 557
Cerium(IV)ammonium sulfate 541
Chain transfer 433
Chiral polyacrylates 179
Chitin 511
Chloromethylated polysterene resins, carbonylation 411
Chloromethylmethyl ether, cancerogenic 265
p-Chloromethylstyrene 109
Chromophores 259
Cold drawing 53, 61
Comblike polymers 179
Compatible blends 165
Compatible polymer systems 17
Continuous polymerization 251
Copolymerization 439
Copolymerization, spontaneous 79
Copolymers 73
Copper 239
Cosolvent systems 393
Critical phenomena concept 131
Crosslinked polymers 317
Crosslinking 295, 541
Crosslinking of irradiated polymers 339
Crystallite modulus 213
Crystallization fronts 1
Crystallographic density 61
Cyanide ion exchanger 93
Cyclo-propagation 447

DAPA 541
cis-Decaline 105
Deformable filler particles 325
Deformation 53, 61
Degradation 31
Degraded PVC 39
Density 61
Deprotonation 99
DGEBA 309
Diacetoxyiodobenzene 523
Diaryliodonium salts 523
1,4-Dibromo-2-butene 239
alpha-Dielectric relaxation 45
Differential scanning calorimetry(DSC) 61
Diffusion spin echo decay 355
Diglycidylaniline 123, 309
Diphenyldiacetylene 117

Diphenylmethane diisocyanate 205
Diphenylzinc water 331
Displacement of critical solution temperature 407
2,3-Disubstituted-1,3-butadienes 69
Divinylbenzene-crosslinked terpolymer 93
Drug carriers 187
DSC 61, 69 , 399
DTA 361
Dynamic light scattering 137

Electrical conductivity 225
Electrochemistry 117
Electroinitiated polymerization 117
Electrolytes 233
Electron donor-acceptor (EDA), interchain 165
Electron microscopy 37
Engineering 1
Entropy of randon copolymer 455
Enzyme immobilization 199
Enzymes 199
EPDM 503
Epichlorhydrin 523
EPM-polystyrene 503
Epoxy resins 123, 309
ESCA 147
Ethylene glycol bis(methyl fumarate) 447
Europium 387
Evans blue 207
Eyring's rate theory 9

Fluorescence spectrometry 387
Fluorochlorobromoacetaldehyde 535
o-Fluorotoluene 137
Fractograph 25
Free-radiacal polymerization 447
Functional polymers 245
Functional type separation 131
Functionality type distribution(FTD) 131
2-Furyl vinyl ketone 271
FVK 271

Gelation 309
Gels 105
Gibbs-DiMarzio theory 455
Glass formation 455
Glass transition temperature 455
Glucose oxidase 199
Glycerophosphocholines 31
GPC 73
Graft copolymer 541
Graft copolymerization 503
Graft polymerization, suspension 433
Graft terpolymers 503
Group transfer polymerization 109

Hahn's spin echo technique 469
Halato-telechelic polybutadienes 461
Haloaldehyde polymers 535
Heavy metals 239, 491
Hemin 93
High glass transition temperatures 73
High-performance composites 309
HPLC 123
Hybrid lioposomes 487
Hydrogen iodide/iodine 417, 425
N-(2-Hydroxyethyl) carbazolyl methacrylate 439
(ß-Hydroxyethyl)-3,5-dinitrobenzoyl-methacrylate 439

Inifers 251
Initiator transfer agents (inifers) 251, 259
Interfacial polycondensation 85
Inverted propylene 347
Ion-binding 99
Ion exchange resins 239
Ionomers 461
Iron 239
γ-Irradiation 200
(ISBN/PVA) membranes 219
Isocyanate 295
2-Isopropenylquinoline 73
Isorefractive solvents 137
Isotactic polystyrene, physical gels 105

Kennedy-Smith plot 251, 259
Klotz's spectrophotometry 207
Kwei's equation 165

Lanthanides 387
Laser materials 387
Leaching 245
Light-scattering 143
Liquid chromatography 131
Liquid crystalline (LC) polymers 367
Liquid crystalline side chain polymers 179, 375
Liquid crystal polymers 367
Liquid crystals 179
Lipids 487
Liposomes 487
Lithium slats 233
Living cationic polymerization 417, 425
L,L-Lactide 491, 497
L-Lactide acid 491, 497
Local flow 9
Lochmann's base system 69

Macromolecule translational mobility 153
Maleic anhydride block copolymers 199
Membranes 219

Mesogenic side-chain polymers 549
Metal alkoxides 557
Methacrylate copolymers 265
N-Methylaniline 123
gamma-Methyl L-glutamate NCA 511
Methyl methacrylate 439
2-Methyl-2-oxazoline 79
Methyl propiolate 117
Miscibility 165, 399
MOAC 301
Molecular mass distribution(MMD) 131
Molecular weight, determination 407
Moulding 1
MW4 pulse sequence 469

NaCO(CO)4 411
Necking 53
Networks 295
Neumann solution 1
Neutron diffraction 105
N-Ninylcarbazole 447
Nylon 527

Optical theta-conditions 143
Optical polarization 373
Organometallic catalysts 117
Oxycarbonylthio group 85
Okyethylene 515

PBT/PC blends 399
P(E-g-MMA) copolymers 25
PEO 153
PEO, transverse relaxation 153
PE-PVC alloys 25
Performance 387
Phase-transfer 411
Phase-transfer catalysis 411
Phenylacetylene 117
N-Phenyl maleimide 79
Phenyl propylamine 199, 204
Phosgene 85
Phospholipids, polymerizable 31
Photoinitiators 279, 523
Physical gels 105
Plasma albumin 207
Plastic magnets 387
PMLA 100 187
Polyacetylene 225
Poly(acryl amide)networks, collapse 301
Polyactones 491, 497
Polarographic measurements 117
Poly(bisphenol A-carbonate) 399
Polybutadiene, gamma-irradiated 339
Poly(butylene terephthalate) 399
Polycarbonates, physical ageing 53
Poly alpha-chloroacrylate 549

Poly-p-chlorphenylmethacrylate 147
Polycondensation 287
Poly(DAPA-AA) 541
Polydienes 245
Poly(N,N-dimethylaminopropylacrylamide-g-acrylic acid) 541
Polydimethyl siloxane (PDMS) 325, 557
Polyepoxides, nitrogen-containing 309
Polyesteramides 287
Polyestermaleamides 287
Polyethyleneimine 239
Polyethylene melts, pulsed NMR measurements 469
Polyethyleneoxide solutions 153
Poly(w-hydroxyalkyl-3,5-dinitrobenzoyl methacrylate)s (PDNBM-n) 165
Poly(N-(2-hydroxyethyl)carbazolyl methacrylate) (PHECM) 165
Poly(isobutylene)-networks 317
Polyisobutylenes 259
Polyisobutylenes, linear telechelic 251
Polyketones, thermotropic 367
Poly(L-lactide) 491, 497
Poly(beta-malic-acid) 187
Polymer blends, interaction 143
Polymer cosolfent systems 393
Polymer electrolytes 233
Polymeric carriers 99
Polymer-polymer interaction 143
Polymer, selective adsorption 393
Poly(methacrylic acid)s 387
Poly(methyl acrylate) 45
Polyolefin antioxidants 245
Poly(oxypropylene)triols 295
Polyoxypropylene-urethane networks 295
Poly-m-phenylene isophthalamide 213
Poly(phenylene sulphide) 225
Poly-p-phenylene terephthalamide 213
Poly(phenyl methacrylate)s 393
Polypropylene 347
Poly(propylene oxide) 331
Poly(stearyl methacrylate) 433
Polystyrene-poly(vinylmethyl-ether) 17, 173
Poly(styrenesulfonate) 219
Polystyrene resins, chloromethylated 411
Polystyryl-dicyclopentadiene 503
Poly(sulfon-ethyleneoxide) 355
Poly(thiocarbonylthio-1,3-phenylene) 86
Polyurethane networks 295
Poly-N-vinylcarbazole (PVK) 361
Poly(vinyl ether)macromers with methacrylate head 425
Poly(vinyl methyl ether) 137
Poly(vinyl oxazoline ester) 433
Poly(N-vinyl-2-pyrrolidone 207
Poly(1-vinyl-2-pyrrolidone-co-maleic)acid 99

Potassium methacrylate 109
PPO 331
Properties 225
Propylene oxide 331
Propylene units, inverted 347
Protein coupling 202
PSA/PVA membranes 219
Pulsed field gradient NMR 355
PVC-degradation 39
PVK fragmentation 361
Pyrolysis 361

Quenched polymer 1
Quinoline-2-carbonic acid ethylester 74

X-Ray diffraction 213
Reactions 265
Refractive index-matched solutions 137
Regioirregular polypropylene 347
alpha-Relaxation 45
Retention properties 239
Ring-opening addition reaction 287

SAXS 461
Scaling theory 407
Scanning electron microscopy 28, 97, 487
Self-diffusion 355
Self-diffusion coefficient 137
Semicrystalline polymers, deformation 61
Separation of macromolecules 131
Sequential copolymers 251, 259
Shift factors 479
Silica-type fillers 325
Silicon glasses 557
SIMS 361
Skeletonized liposomes 487
Small-angle X-ray scattering 461
SnCl4 491
Sn(II)octoate 491
Sodium ion transport 219
Sol-gel process 557
Solid electrolyte 233
Solid-state extrusion 61
Solvent-polymer interaction 143
Stabilization 31
Stabilizer 245
Stereoirregular polymers 347
Strain-rate 317
Stress-strain properties 317
Structural recovery 53
Sulfur-containing polymers 85
Suspension graft polymerization 433
Swollen gels 301
Sylyl ketene acetals 109

T1824 207
Telechelic polymers 251, 259
Temperature dependence 9
Terpolymerization 503
Terpolymers 93, 503
-, crosslinked 93
Tetraethoxysilane 325
Tetrahydrofuran 393, 523
TG 361
TGDDM 123, 309
Thermodynamics 379
Thermotropic liquid crystalline polymers 549
Thiocarbonylthio group 85
Threeblock-copolymers 73
Trunk sequence 541
Tracer diffusion coefficient 137
Transverse proton magnetization 469
Triarylsulfornium salts 279
Tributylammonium groups 265
Triethoxysilanes 325
Twoblock-copolymers 73

Unilateral quench 1, 2
Uranium 239
Urethanes 295
UV-absorption 39

1-Venyl-2-methylimidazole 93
p-Vinylbenzyl methacrylate 109
Vinyl ethers 417, 425
Vinylketones 271
4-Vinylpyridine 265
Vescicles, polymerized 31
Vinyl ethers 515
Visco-elastic dependence 153
Visco-elastic flow 479
Viscosity of polymer solutions 157
Vogel temperature 9
Volatility 245

Williams-Landel-Ferry(WLF) equation 9
WLF law 233
WLF-relation 479

Xanthan solutions 157
Xanthan, viscosity dependence 157

Zinc oxide 491

Indexed in Current Contents